

Public Meeting
COMMENT FORM

February 12, 2009



Please complete and return this form **by February 26, 2009** to the address provided on the reverse side.

1. In what area do you live?

- A. Harmar B. Oakmont C. Verona D. Plum E. Other _____

2. How often do you use the bridge? (circle one)

- A. Daily B. Weekly C. Monthly D. Not at All E. Other _____

3. For what purpose(s) have you traveled the bridge? (circle all that apply)

- A. Shopping B. Work C. Visit Friends D. Recreation E. Other _____

4. Are there any sensitive features (i.e. local properties, environmental resources, etc.) adjacent to the project that you would like the Project Team to consider while developing the project?

Please reference the **Aesthetic Treatment Options** handout to answer the next series of questions.

5. Of the bridge color options presented, which do you prefer?

- A. Parchment
- B. Satellite Tan
- C. Silver Blue
- D. Agate Gray
- E. Antique Bronze

6. Of the railing options presented, which do you prefer?

- A. Gray Aluminum Box Type Railing
- B. Black Aluminum Box Type Railing

7. Of the lighting fixture options presented, which do you prefer?

- A. Gray Aluminum Cobra Head Overhang Lighting
- B. Black Aluminum Cobra Head Overhang Lighting
- C. Black Aluminum Overhang Lighting with Wrought Iron Effects

8. Of the pier/abutment treatment options presented, which do you prefer?

- A. Rectangular Cut Stone (similar to existing)
- B. Weathered Limestone
- C. Canal Parkway Rustic Ashlar (small)
- D. Rustic Ashlar
- E. Canal Parkway Random Cut Stone (large)
- F. New England Drystack (similar to Oakmont Country Club)

9. Please provide any additional comments or concerns here.

Please provide the following information if you would like to be added to our mailing list.

Name _____

Address _____

City _____ **State** _____ **Zip** _____

Place
Stamp
Here

**Pennsylvania Department of Transportation
c/o McCormick, Taylor & Associates, Inc.
Attn: Jennifer Threats
Seven Parkway Center, Suite 700
Pittsburgh, PA 15220**